

No. 19-1952

**UNITED STATES COURT OF APPEALS
FOR THE FOURTH CIRCUIT**

GAVIN GRIMM,

Plaintiff-Appellee,

v.

GLOUCESTER COUNTY SCHOOL BOARD,

Defendant-Appellant.

On Appeal from the United States District Court
for the Eastern District of Virginia
Newport News Division

**BRIEF OF *AMICI CURIAE* MEDICAL, PUBLIC HEALTH,
AND MENTAL HEALTH ORGANIZATIONS
IN SUPPORT OF PLAINTIFF-APPELLEE**

Aaron M. Panner
KELLOGG, HANSEN, TODD,
FIGEL & FREDERICK, PLLC
1615 M St. NW Suite 400
Washington, DC 20036
(202) 326-7900
apanner@kellogghansen.com

*Counsel for Amicus Curiae
American Psychiatric Association*

Devi M. Rao
Counsel of Record
JENNER & BLOCK LLP
1099 New York Ave. NW
Suite 900
Washington, DC 20001
(202) 639-6000
drao@jenner.com

*Counsel for Amici Curiae (additional
counsel on inside cover)*

Ethan C. Wong
JENNER & BLOCK LLP
919 3rd Ave.
New York, NY, 10022
(212) 891-1600

DISCLOSURE OF CORPORATE AFFILIATIONS AND OTHER INTERESTS

Pursuant to FRAP 26.1 and Local Rule 26.1, American Academy of Pediatrics, American Academy of Child and Adolescent Psychiatry, American Academy of PAs, American College of Physicians, American Medical Association, American Medical Students Association, American Medical Women's Association, American Nurses Association, American Psychiatric Association, American Public Health Association, Association of Medical School Pediatric Department Chairs, GLMA: Health Professionals Advancing LGBTQ Equality, LBGT PA Caucus, Pediatric Endocrine Society, Society for Adolescent Health and Medicine, Society for Physician Assistants in Pediatrics, and World Professional Association for Transgender Health, who are amici curiae, make the following disclosure:

1. No *amicus* is a publicly held corporation or other public entity.
2. No *amicus* has any parent corporations.
3. No publicly held corporation or other publicly held entity owns 10% or more of the stock of any of the *amici*.
4. No publicly held corporation or other publicly held entity has a direct financial interest in the outcome of the litigation.
5. This case does not arise out of a bankruptcy proceeding.

Dated: November 25, 2019

JENNER & BLOCK LLP

/s/ Devi M. Rao

Devi M. Rao
Counsel for Amici

TABLE OF CONTENTS

DISCLOSURE OF CORPORATE AFFILIATIONS AND OTHER INTERESTS ..i	
INTEREST OF <i>AMICI CURIAE</i>	1
SUMMARY OF ARGUMENT	3
ARGUMENT	4
I. What It Means To Be Transgender And To Suffer From Gender Dysphoria.4	
A. Gender Identity	7
B. Gender Dysphoria.....	9
1. The Diagnostic Criteria And Seriousness Of Gender Dysphoria	9
2. The Accepted Treatment Protocols For Gender Dysphoria	11
II. Excluding Transgender Individuals From Facilities Consistent With Their Gender Identity Endangers Their Health, Safety, And Well-Being.....	19
A. Exclusionary Policies Exacerbate Gender Dysphoria And Are Contrary To Widely Accepted, Evidence-Based Treatment Protocols.	20
B. Exclusionary Policies Expose Transgender Individuals To Harassment And Abuse.	21
C. Exclusionary Policies Exacerbate Stigma And Discrimination, Leading To Negative Health Outcomes.	23
D. Exclusionary Policies Lead To Avoidance Of Restroom Use, Harming Physical Health.	26
E. Exclusionary Policies Harm Adolescent Social And Emotional Development—With Lifelong Effects.	28
CONCLUSION	30

TABLE OF AUTHORITIES

Page(s)

OTHER AUTHORITIES

Alessandra D. Fisher et al., <i>Cross-Sex Hormone Treatment and Psychobiological Changes in Transsexual Persons: Two-Year Follow-Up Data</i> , 101 J. Clinical Endocrinology & Metabolism 4260 (2016).....	15
American Academy of Pediatrics, <i>American Academy of Pediatrics Opposes Legislation that Discriminates Against Transgender Children</i> (Apr. 18, 2016), https://www.aap.org/en-us/about-the-aap/aap-pressroom/Pages/AAPOpposesLegislationAgainstTransgenderChildren.aspx	22, 23
American Academy of Pediatrics, <i>Gender Identity Development in Children</i> (2015), https://healthychildren.org/English/ages-stages/gradeschool/Pages/Gender-Identity-and-Gender-Confusion-In-Children.aspx	7
American Academy of Pediatrics, <i>Gender Non-Conforming & Transgender Children</i> (2015), https://healthychildren.org/English/ages-stages/gradeschool/Pages/Gender-Non-Conforming-Transgender-Children.aspx	8, 18
American Academy of Pediatrics, <i>Just the Facts About Sexual Orientation and Youth</i> (Apr. 13, 2010), https://web.archive.org/web/20101119095249/http://aap.org/featured/sexualorientation.htm	17
American Medical Association, Committee on Human Sexuality, <i>Human Sexuality</i> (1972).....	12
American Medical Association House of Delegates, <i>Resolution 122, Removing Financial Barriers to Care for Transgender Patients</i> (2008).....	13, 14

American Medical Association, Policy Number H-160.991, *Health Care Needs of Lesbian, Gay, Bisexual, and Transgender Populations* (rev. 2016), [https://searchpf.ama-assn.org/SearchML/searchDetails.action?uri=%2FAMA Doc%2FHOD.xml-0-805.xml](https://searchpf.ama-assn.org/SearchML/searchDetails.action?uri=%2FAMA%20Doc%2FHOD.xml-0-805.xml)13

American Psychiatric Association, *Diagnostic and Statistical Manual of Mental Disorders* (5th ed. 2013)9

American Psychiatric Association, *Position Statement on Discrimination Against Transgender and Gender Variant Individuals* (2012), <https://psychiatry.org/File%20Library/About-APA/Organization-Documents-Policies/Policies/Position-2012-Transgender-Gender-Variant-Discrimination.pdf>6, 9

American Psychiatric Association Workgroup on Treatment of Gender Dysphoria, *Assessment and Treatment of Gender Dysphoria and Gender Variant Patients: A Primer for Psychiatrists* (2016)13

American Psychoanalytic Association, *Position Statement on Attempts to Change Sexual Orientation, Gender Identity, or Gender Expression* (2012), <http://www.apsa.org/content/2012-position-statement-attempts-change-sexualorientation-gender-identity-or-gender>.....12, 14, 24

American Psychological Association, *Answers to Your Questions About Transgender People, Gender Identity, and Gender Expression* (2014), <http://www.apa.org/topics/lgbt/transgender.pdf>.7

American Psychological Association, *Stress in America: The Impact of Discrimination* (2016), <https://www.apa.org/news/press/releases/stress/2015/impact-of-discrimination.pdf>24

American Psychological Association & National Association of School Psychologists, *Resolution on Gender and Sexual Orientation Diversity in Children and Adolescents in Schools* (2015), <http://www.apa.org/about/policy/orientation-diversity.aspx>13

American Psychological Association, *Guidelines for Psychological Practice with Transgender and Gender Nonconforming People*, 70 *Am. Psychologist* 832 (2015) 4, 5, 6, 7, 11, 12, 14, 16, 18, 27

American School Counselor Association, *The School Counselor and LGBTQ Youth* (2016), https://www.schoolcounselor.org/asca/media/asca/PositionStatements/PS_LGBTQ.pdf13

Anas I. Ghousheh et al., *Advanced Transitional Cell Carcinoma of the Bladder in a 16-Year-Old Girl with Hinman Syndrome*, 80 *Urology* 1141 (2012).....27

Andrew R. Flores et al., The Williams Inst., *How Many Adults Identify as Transgender in the United States?* (2016), <http://williamsinstitute.law.ucla.edu/wp-content/uploads/How-Many-Adults-Identify-as-Transgender-in-the-United-States.pdf>.....5

Annelou L.C. de Vries et al., *Puberty Suppression in Adolescents with Gender Identity Disorder: A Prospective Follow-up Study*, 8 *J. Sexual Med.* 2276 (2011).....18

Annelou L.C. de Vries, *Young Adult Psychological Outcome After Puberty Suppression and Gender Reassignment*, 134 *Pediatrics* 696 (2014)16

Arianne B. Dessens et al., *Gender Dysphoria and Gender Change in Chromosomal Females with Congenital Adrenal Hyperplasia*, 34 *Arch. Sexual Behav.* 389 (2005).....9

Caitlin Ryan, Family Acceptance Project, *Supportive Families, Healthy Children: Helping Families with Lesbian, Gay, Bisexual, & Transgender Children* (2009), [http://familyproject.sfsu.edu/sites/default/files/FAP_English %20Booklet_pst.pdf](http://familyproject.sfsu.edu/sites/default/files/FAP_English%20Booklet_pst.pdf)7

Chris Beyrer, Robert W. Blum, & Tonia C. Poteat, Opinion, *Hopkins Faculty Disavow ‘Troubling’ Report on Gender and Sexuality*, *Balt. Sun*, Sept. 28, 201618

Colt Meier & Julie Harris, Am. Psychol. Ass’n, *Fact Sheet: Gender Diversity and Transgender Identity in Children*, <http://www.apadivisions.org/division-44/resources/advocacy/transgender-children.pdf>.....7, 8

Darryl B. Hill et al., *An Affirmative Intervention for Families with Gender Variant Children: Parental Ratings of Child Mental Health and Gender*, 36 *J. Sex & Marital Therapy* 6 (2010).....12

David A. Levine & Comm. On Adolescence, Am. Acad. of Pediatrics Technical Report, *Office-Based Care for Lesbian, Gay, Bisexual, Transgender, and Questioning Youth*, 132 *Pediatrics* e297 (2013).....4

Emily A. Greytak et al., GLSEN, *Harsh Realities: The Experiences of Transgender Youth in Our Nation’s Schools* (2009).....28

Emily B. Zimmerman et al., U.S. Dep’t of Health and Human Servs. Agency for Healthcare Research & Quality, *Understanding the Relationship Between Education and Health: A Review of the Evidence and an Examination of Community Perspectives* (2015), <https://www.ahrq.gov/professionals/education/curriculum-tools/population-health/zimmerman.html>.....29

Ethan C. Cicero & Linda M. Wesp, *Supporting the Health and Well-Being of Transgender Students*, *J. Sch. Nursing* 1 (2017).....8

Francine Russo, *Is There Something Unique About the Transgender Brain?* *Sci. Am.* (Jan. 1, 2016)9

Gary J. Gates & Jody L. Herman, The Williams Inst., *Transgender Military Service in the United States* (2014), <http://williamsinstitute.law.ucla.edu/wpcontent/uploads/Transgender-Military-Service-May-2014.pdf>5

Halley P. Crissman et al., *Transgender Demographics: A Household Probability Sample of US Adults, 2014*, 107 *Am. J. Pub. Health* 213 (2017).....5

Hillary Daniel et al., *Lesbian, Gay, Bisexual, and Transgender Health Disparities: Executive Summary of a Policy Position Paper from the American College of Physicians*, 163 *Annals Internal Med.* 135 (2015).....14

Institute of Medicine Committee on LGBT Issues and Research Gaps and Opportunities, *The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding* (2011).....25

Jack Drescher, *Controversies in Gender Diagnoses*, 1 *LGBT Health* 9 (2013)12

Jack Drescher, *Queer Diagnoses: Parallels and Contrasts in the History of Homosexuality, Gender Variance, and the Diagnostic and Statistical Manual*, 39 *Arch. Sexual Behav.* 427 (2010).....11

James, S.E. Herman et al., Nat’l Center for Transgender Equality, *Report of the 2015 U.S. Transgender Survey*, <http://www.transequality.org/sites/default/files/docs/usts/USTS%20Full%20Report%20-%20FINAL%201.6.17.pdf>5, 6, 21, 27

Jamie M. Grant et al., Nat’l Center for Transgender Equality, *Injustice at Every Turn: A Report of the National Transgender Discrimination Survey* (2011), http://www.thetaskforce.org/static_html/downloads/reports/reports/ntds_full.pdf.....24

Jessica Xavier et al, Va. Dep’t of Health, *The Health, Health-Related Needs, and Lifecourse Experiences of Transgender Virginians* (2007), <http://www.vdh.virginia.gov/content/uploads/sites/10/2016/01/THISFINALREPORTVol1.pdf>.11

Jody L. Herman, *Gendered Restrooms and Minority Stress: The Public Regulation of Gender and its Impact on Transgender People’s Lives*, 19 *J. Pub. Mgmt. & Soc. Pol’y* 65 (2013).....23, 26, 27

Joseph G. Kosciw et al., GLSEN, *The 2015 National School Climate Survey: The Experiences of Lesbian, Gay, Bisexual, Transgender, and Queer Youth In Our Nation’s Schools* (2016)23

Judith Bradford et al., *Experiences of Transgender-Related Discrimination and Implications for Health: Results from the Virginia Transgender Health Initiative Study*, 103 *Am. J. Pub. Health* 1820 (2013).....24, 25

Kristie L. Seelman, *Transgender Adults’ Access to College Bathrooms and Housing and the Relationship to Suicidality*, 63 J. Homosexuality 1378 (2016)26

Kristina R. Olson et al., *Mental Health of Transgender Children Who Are Supported in Their Identities*, 137 Pediatrics 1 (2016).....14

Lawrence E. Armstrong, *Challenges of Linking Chronic Dehydration and Fluid Consumption to Health Outcomes*, 70 Nutrition Rev. S121 (2012).....27

Letter from Lauren Abern, MD, et al. (March 22, 2017), <http://docplayer.net/47362502-March-22-to-whom-it-may-concern.html>.....18

Lily Durwood et al., *Mental Health and Self-Worth in Socially Transitioned Transgender Youth*, 56 J. Am. Acad. Child & Adolescent Psychiatry 116 (2017).....14

Madeleine S.C. Wallien & Peggy T. Cohen-Kettenis, *Psychosexual Outcome of Gender-Dysphoric Children*, 47 J. Am. Acad. Child & Adolescent Psychiatry 1413 (2008).....18

Madeline B. Deutsch, Center of Excellence for Transgender Health, University of California, San Francisco, *Guidelines for the Primary and Gender-Affirming Care of Transgender and Gender Nonbinary People* (2d ed. 2016).....15

Marla E. Eisenberg et al., *Suicidality Among Gay, Lesbian and Bisexual Youth: The Role of Protective Factors*, 39 J. Adolescent Health 662 (2006)29

Michael L. Hendricks & Rylan J. Testa, *A Conceptual Framework for Clinical Work with Transgender and Gender Nonconforming Clients: An Adaptation of the Minority Stress Model*, 43 Prof'l Psychol.: Research & Practice 460 (2012)11

Peggy T. Cohen-Kettenis et al., *The Treatment of Adolescent Transsexuals: Changing Insights*, 5 J. Sexual Med. 1892 (2008).....8

Randi Ettner et al., *Secrecy and the Pathophysiology of Hypertension*, Int'l J. Family Med. (2012).....25

Rebecca L. Stotzer et al., The Williams Inst., *Transgender Parenting: A Review of Existing Research* (2014), <http://williamsinstitute.law.ucla.edu/research/parenting/transgenderparenting-oct-2014>.....5

Report of the APA Task Force on Gender Identity and Gender Variance 26-27 (2008), <https://www.apa.org/pi/lgbt/resources/policy/genderidentity-report.pdf>.....passim

Robert Wallace & Hershel Russell, *Attachment and Shame in Gender-Nonconforming Children and Their Families: Toward a Theoretical Framework for Evaluating Clinical Interventions*, 14 Int'l J. Transgenderism 113 (2013)12

Russell B. Toomey et al., *Gender-Nonconforming Lesbian, Gay, Bisexual, and Transgender Youth: School Victimization and Young Adult Psychosocial Adjustment*, 46 *Developmental Psychology* 1580 (2010).....25, 29

Sam Winter et al., *Transgender People: Health at the Margins of Society*, 388 *Lancet* 390 (2016)20

Stephanie A. Brill & Rachel Pepper, *The Transgender Child: A Handbook for Families and Professionals* 202 (2008)11, 15

Stephen T. Russell et al., *Youth Empowerment and High School Gay-Straight Alliances*, 38 *J. Youth Adolescence* 891 (2009).....29

Substance Abuse and Mental Health Servs. Admin., *Ending Conversion Therapy: Supporting and Affirming LGBTQ Youth* (2015), <http://store.samhsa.gov/shin/content/SMA15-4928/SMA15-4928.pdf>.....6, 10, 12, 18

Thomas D. Steensma & Peggy Cohen-Kettenis, *More Than Two Development Pathways in Children with Gender Dysphoria*, 54 *J. Am. Acad. Child & Adolescent Psychiatry* 147 (2015).....17

Thomas D. Steensma et al., *Desisting and Persisting Gender Dysphoria after Childhood: A Qualitative Follow-up Study*, 16 *Clinical Child Psychol. & Psychiatry* 499 (2011)18

Walter Bockting & Eli Coleman, *Developmental Stages of the Transgender Coming-Out Process: Toward an Integrated Identity*, in *Principles of Transgender Medicine and Surgery* 137 (Randi Ettner, Stan Monstrey & Eli Coleman eds., 2d ed. 2016)17

William Byne et al., *Report of the American Psychiatric Association Task Force on Treatment of Gender Identity Disorder*, 41 *Arch. Sexual Behav.* 759 (2012).....16, 18

World Professional Association for Transgender Health, *Standards of Care for the Health of Transsexual, Transgender, and Gender-Nonconforming People* (7th Version, 2011), http://www.wpath.org/site_page.cfm?pk_association_webpage_menu=1351&pk_association_webpage=4655.....passim

Wylie C. Hembree et al., *Endocrine Treatment of Transsexual Persons: An Endocrine Society Clinical Practice Guideline*, 94 *J. Clinical Endocrinology & Metabolism* 3132 (2009).....15, 16

INTEREST OF *AMICI CURIAE*¹

Amici are 17 leading, medical, public health, and mental health organizations: American Academy of Pediatrics, American Academy of Child and Adolescent Psychiatry, American Academy of PAs, American College of Physicians, American Medical Association, American Medical Students Association, American Medical Women's Association, American Nurses Association, American Psychiatric Association, American Public Health Association, Association of Medical School Pediatric Department Chairs, GLMA: Health Professionals Advancing LGBTQ Equality, LGBT PA Caucus, Pediatric Endocrine Society, Society for Adolescent Health and Medicine, Society for Physician Assistants in Pediatrics, and World Professional Association for Transgender Health.

Collectively, *amici* represent hundreds of thousands of physicians, physician assistants, public health, and mental health professionals, including specialists in pediatrics and adolescent care, family medicine, internal medicine, and endocrinology; and millions of nurses. *Amici* share a commitment to improving the physical and mental health of all Americans—regardless of gender identity—and to

¹ *Amici* hereby certify that no party's counsel authored this brief in whole or in part, no party or party's counsel contributed money intended to fund preparation or submission of this brief, and no person other than *amici* and their counsel contributed money intended to fund preparation or submission of the brief. The parties have consented to the filing of this brief.

informing and educating lawmakers, the judiciary, and the public through science regarding the public health impacts of laws and policies.

Amici submit this brief to inform the Court of the medical consensus regarding what it means to be transgender; the protocols for the treatment of gender dysphoria; and the predictable harms to the health and well-being of transgender adolescents when they are excluded from restrooms that match their gender identity.

SUMMARY OF ARGUMENT

Transgender individuals have a gender identity that is incongruent with the sex they were assigned at birth. The medical community's understanding of what it means to be transgender has advanced greatly over the past century. It is now understood that being transgender implies no impairment in a person's judgment, stability, or general social or vocational capabilities. According to recent estimates, approximately 1.4 million transgender adults live in the United States—0.6 percent of the adult population.

Many transgender individuals, like Plaintiff-Appellee, have a condition called gender dysphoria, which is characterized by clinically significant distress and impairment of function resulting from the incongruence between one's gender identity and the sex assigned at birth. The international medical consensus regarding treatment for gender dysphoria is to assist the patient to live in accordance with his or her gender identity, thus alleviating the distress. Treatment may include any or all of the following: counseling, social transition (through, *e.g.*, use of a new name and pronouns; new clothes and grooming; and use of single-sex facilities, including restrooms, most consistent with the individual's gender identity), and hormone therapy and surgical interventions.

Access to single-sex facilities that correspond to one's gender identity is a critical aspect of social transition and, thus, successful treatment of gender

dysphoria. By contrast, excluding transgender individuals from facilities consistent with their gender identity undermines their treatment; exposes them to stigma and discrimination; harms their physical health by causing them to avoid restroom use; and impairs their social and emotional development. Similarly, transgender students who must use separate facilities that other students are not required to use are at risk of being bullied and discriminated against and suffer psychological harm. The stigma and minority stress that result from discrimination can, in turn, lead to poorer health outcomes for transgender individuals.

ARGUMENT

I. What It Means To Be Transgender And To Suffer From Gender Dysphoria.

Transgender individuals have a “gender identity”—a “deeply felt, inherent sense” of their gender—that is not aligned with the sex assigned to them at birth.² Transgender people differ from cisgender (*i.e.*, non-transgender) individuals, whose

² Am. Psychol. Ass’n, *Guidelines for Psychological Practice with Transgender and Gender Nonconforming People*, 70 *Am. Psychologist* 832, 834 (2015) [hereinafter “Am. Psychol. Ass’n Guidelines”]; *see also* David A. Levine & Comm. On Adolescence, Am. Acad. of Pediatrics Technical Report, *Office-Based Care for Lesbian, Gay, Bisexual, Transgender, and Questioning Youth*, 132 *Pediatrics* e297, 298 (2013) [hereinafter “AAP Technical Report”]. Although most people have a gender identity that is male or female, some individuals have a gender identity that is “a blend of male or female[,] or an alternative gender.” Am. Psychol. Ass’n Guidelines at 834.

gender identity aligns with the sex assigned at birth.³

Recent estimates suggest that approximately 1.4 million transgender adults live in the United States, or 0.6 percent of the adult population.⁴ That said, “population estimates likely underreport the true number of [transgender] people.”⁵ People of all different races and ethnicities identify as transgender.⁶ They live in every state, serve in our military, and raise children.⁷ Gender identity is distinct from and does not predict sexual orientation; transgender people, like cisgender

³ Am. Psychol. Ass’n Guidelines, *supra*, at 861.

⁴ Andrew R. Flores et al., The Williams Inst., *How Many Adults Identify as Transgender in the United States?* 2 (2016), <http://williamsinstitute.law.ucla.edu/wp-content/uploads/How-Many-Adults-Identify-as-Transgender-in-the-United-States.pdf>.

⁵ Am. Psychol. Ass’n Guidelines, *supra*, at 832.

⁶ See Halley P. Crissman et al., *Transgender Demographics: A Household Probability Sample of US Adults, 2014*, 107 Am. J. Pub. Health 213, 214-15 (2017); Andrew R. Flores et al., The Williams Inst., *Race and Ethnicity of Adults Who Identify as Transgender in the United States* 2 (2016), <https://williamsinstitute.law.ucla.edu/wp-content/uploads/Race-and-Ethnicity-of-Transgender-Identified-Adults-in-the-US.pdf>.

⁷ Gary J. Gates & Jody L. Herman, The Williams Inst., *Transgender Military Service in the United States* (2014), <http://williamsinstitute.law.ucla.edu/wpcontent/uploads/Transgender-Military-Service-May-2014.pdf>; E. James et al., Nat’l Center for Transgender Equality, *The Report of the 2015 U.S. Transgender Survey* 2 (2016), <http://www.transequality.org/sites/default/files/docs/usts/USTS%20Full%20Report%20-%20FINAL%201.6.17.pdf>; Rebecca L. Stotzer et al., The Williams Inst., *Transgender Parenting: A Review of Existing Research* (2014), <http://williamsinstitute.law.ucla.edu/research/parenting/transgenderparenting-oct-2014>.

people, may identify as heterosexual, gay, lesbian, bisexual, or asexual.⁸

The medical profession's understanding of gender has advanced considerably over the past fifty years. Throughout much of the twentieth century, individuals who were not gender conforming were often viewed as “perverse or deviant.”⁹ Practices during that period tried to “correct” this perceived deviance by attempting to force transgender people to live in accordance with the sex assigned to them at birth. These efforts failed and caused significant harm to the individuals subjected to them.¹⁰

Much as our professions recognize that homosexuality is a normal form of human sexuality—and that stigmatizing gay people causes significant harm—we now recognize that being transgender “implies no impairment in judgment, stability, reliability, or general social or vocational capabilities.”¹¹

⁸ Am. Psychol. Ass'n Guidelines, *supra*, at 835-36; James et al., Nat'l Center for Transgender Equality, *Report of the 2015 U.S. Transgender Survey*, *supra*, at 246.

⁹ Am. Psychol. Ass'n, *Report of the APA Task Force on Gender Identity and Gender Variance* 26-27 (2008), <https://www.apa.org/pi/lgbt/resources/policy/genderidentity-report.pdf> [hereinafter “Am. Psychol. Ass'n Task Force Report”].

¹⁰ *Id.*; Substance Abuse and Mental Health Servs. Admin., *Ending Conversion Therapy: Supporting and Affirming LGBTQ Youth* 13, 25 (2015), <http://store.samhsa.gov/shin/content/SMA15-4928/SMA15-4928.pdf>.

¹¹ Am. Psychiatric Ass'n, *Position Statement on Discrimination Against Transgender and Gender Variant Individuals* (2012), <https://psychiatry.org/File%20Library/About-APA/Organization-Documents-Policies/Policies/Position-2012-Transgender-Gender-Variant-Discrimination.pdf>.

A. Gender Identity

“[G]ender identity” refers to a person’s internal sense of being male, female, or another gender.¹² Every person has a gender identity,¹³ which cannot be altered voluntarily¹⁴ or ascertained immediately after birth.¹⁵ Many children develop stability in their gender identity between ages 3 and 4.¹⁶

“[G]ender expression refers to the way a person communicates gender identity to others through behavior, clothing, hairstyles, voice, or body characteristics.”¹⁷

There are many individuals who depart from stereotypical male and female

¹² Am. Psychol. Ass’n, *Answers to Your Questions About Transgender People, Gender Identity, and Gender Expression* 1 (2014), <http://www.apa.org/topics/lgbt/transgender.pdf>.

¹³ See Caitlin Ryan, Family Acceptance Project, *Supportive Families, Healthy Children: Helping Families with Lesbian, Gay, Bisexual, & Transgender Children*, 17 (2009), [http://familyproject.sfsu.edu/sites/default/files/FAP_English %20Booklet_pst.pdf](http://familyproject.sfsu.edu/sites/default/files/FAP_English%20Booklet_pst.pdf).

¹⁴ Colt Meier & Julie Harris, Am. Psychol. Ass’n, *Fact Sheet: Gender Diversity and Transgender Identity in Children* 1, <http://www.apadivisions.org/division-44/resources/advocacy/transgender-children.pdf>; see also Am. Acad. of Pediatrics, *Gender Identity Development in Children* (2015), <https://healthychildren.org/English/ages-stages/gradeschool/Pages/Gender-Identity-and-Gender-Confusion-In-Children.aspx>.

¹⁵ Am. Psychol. Ass’n Guidelines, *supra*, at 862.

¹⁶ *Id.* at 841. “Although gender identity is usually established in childhood, individuals may become aware that their gender identity is not in full alignment with sex assigned at birth in childhood, adolescence, or adulthood.” *Id.* at 836.

¹⁷ Am. Psychol. Ass’n, *Answers to Your Questions About Transgender People, supra*, at 1.

appearances and roles, but who are not transgender.¹⁸ Indeed, most people who express their gender in a non-stereotypical or non-conforming manner are or become comfortable with the sex they were assigned at birth.¹⁹ In contrast, a transgender boy or transgender girl “consistently, persistently, and insistentlly” identifies as a gender different than the sex they were assigned at birth.²⁰

Psychologists, psychiatrists, and neuroscientists are not certain why some people are transgender. Some research suggests there may be biological influences,²¹ including, for example, exposure of natal females to elevated levels of

¹⁸ Ethan C. Cicero & Linda M. Wesp, *Supporting the Health and Well-Being of Transgender Students*, J. Sch. Nursing 1, 6 (2017).

¹⁹ World Prof'l Ass'n for Transgender Health, *Standards of Care for the Health of Transsexual, Transgender, and Gender-Nonconforming People* 5 (7th Version, 2011), http://www.wpath.org/site_page.cfm?pk_association_webpage_menu=1351&pk_association_webpage=4655 [hereinafter “WPATH Standards of Care”].

²⁰ See Meier & Harris, *Fact Sheet: Gender Diversity and Transgender Identity in Children*, *supra*, at 1; see also Cicero & Wesp, *Supporting the Health and Well-Being of Transgender Students*, *supra*, at 6.

²¹ See Am. Acad. of Pediatrics, *Gender Non-Conforming & Transgender Children* (2015), <https://healthychildren.org/English/ages-stages/gradeschool/Pages/Gender-Non-Conforming-Transgender-Children.aspx>; Peggy T. Cohen-Kettenis et al., *The Treatment of Adolescent Transsexuals: Changing Insights*, 5 J. Sexual Med. 1892, 1895 (2008).

testosterone in the womb.²² Brain scans and neuroanatomical studies of transgender individuals may also support these biological explanations.²³

B. Gender Dysphoria

Being transgender “implies no impairment in judgment, stability, reliability, or general social or vocational capabilities.”²⁴ However, many transgender individuals are diagnosed with gender dysphoria, a condition that is characterized by debilitating distress and anxiety resulting from the incongruence between an individual’s gender identity and birth-assigned sex.²⁵

1. The Diagnostic Criteria And Seriousness Of Gender Dysphoria

The Diagnostic and Statistical Manual of Mental Disorders codifies the diagnostic criteria for gender dysphoria in adolescents and adults as follows: “A marked incongruence between one’s experienced/expressed gender and assigned gender, of at least 6 months’ duration, as manifested by at least two” out of six

²² Arianne B. Dessens et al., *Gender Dysphoria and Gender Change in Chromosomal Females with Congenital Adrenal Hyperplasia*, 34 *Arch. Sexual Behav.* 389, 395 (2005).

²³ See, e.g., Francine Russo, *Is There Something Unique About the Transgender Brain?* *Sci. Am.* (Jan. 1, 2016), <https://www.scientificamerican.com/article/is-theresomething-unique-about-the-transgender-brain/>.

²⁴ Am. Psychiatric Ass’n, *Position Statement on Discrimination Against Transgender and Gender Variant Individuals*, *supra*.

²⁵ Am. Psychiatric Ass’n, *Diagnostic and Statistical Manual of Mental Disorders* 451-53 (5th ed. 2013) [hereinafter “DSM-5”].

criteria, and “clinically significant distress or impairment in social, occupational, or other important areas of functioning.”²⁶ The six criteria include (1) “[a] marked incongruence between one’s experienced/expressed gender and primary and/or secondary sex characteristics”; (2) “[a] strong desire to be rid of one’s primary and/or secondary sex characteristics”; (3) “[a] strong desire for the primary and/or secondary sex characteristics of the other gender”; (4) “[a] strong desire to be of the other gender (or some alternative gender)”; (5) “[a] strong desire to be treated” as a gender different from one’s assigned gender; and (6) “[a] strong conviction that one has the typical feelings and reactions” of a different gender.²⁷

Transgender children often experience intensified gender dysphoria and worsening mental health as the hormonal and anatomical changes associated with puberty cause the body to develop in ways that diverge from the child’s gender identity.²⁸ For instance, a deepening voice for male-assigned individuals or the growth of breasts and the beginning of a menstrual cycle for female-assigned individuals can cause severe distress.

²⁶ *Id.*

²⁷ *Id.* at 452.

²⁸ Am. Psychol. Ass’n Task Force Report, *supra*, at 45; Substance Abuse and Mental Health Servs. Admin., *Ending Conversion Therapy*, *supra*, at 3.

If untreated, gender dysphoria can cause debilitating distress, depression, impairment of function, substance use, self-mutilation to alter one's genitals or secondary sex characteristics, other self-injurious behaviors, and suicide.²⁹ Transgender individuals also are frequently subjected to prejudice and discrimination in multiple areas of their lives, which exacerbates these negative health outcomes.³⁰

2. The Accepted Treatment Protocols For Gender Dysphoria

Until the middle of the twentieth century, most mental health practitioners treated transgender people by attempting to make the patient's gender identity consistent with the sex assigned at birth.³¹ There is no evidence that these methods alleviate gender dysphoria or that they can prevent someone from being

²⁹ See, e.g., DSM-5, *supra*, at 455, 458; Stephanie A. Brill & Rachel Pepper, *The Transgender Child: A Handbook for Families and Professionals* 202 (2008) (discussing risk of self-mutilation).

³⁰ Michael L. Hendricks & Rylan J. Testa, *A Conceptual Framework for Clinical Work with Transgender and Gender Nonconforming Clients: An Adaptation of the Minority Stress Model*, 43 *Prof'l Psychol.: Research & Practice* 460 (2012); Jessica Xavier et al, Va. Dep't of Health, *The Health, Health-Related Needs, and Lifecourse Experiences of Transgender Virginians* (2007), <http://www.vdh.virginia.gov/content/uploads/sites/10/2016/01/THISFINALREPORTVol1.pdf>.

³¹ Am. Psychol. Ass'n Guidelines, *supra*, at 835; Jack Drescher, *Queer Diagnoses: Parallels and Contrasts in the History of Homosexuality, Gender Variance, and the Diagnostic and Statistical Manual*, 39 *Arch. Sexual Behav.* 427, 436-40 (2010).

transgender.³² To the contrary, they can “often result in substantial psychological pain by reinforcing damaging internalized attitudes,”³³ and can damage family relationships and individual functioning by increasing feelings of shame.³⁴

In the last few decades, transgender people and those suffering from gender dysphoria have gained widespread access to gender-affirming psychological and medical support.³⁵ For over 30 years, the generally-accepted treatment protocols for gender dysphoria³⁶ have aimed at alleviating the distress associated with the incongruence between gender identity and birth-assigned sex.³⁷ These protocols are laid out in the *Standards of Care for the Health of Transsexual, Transgender, and*

³² Substance Abuse and Mental Health Servs. Admin., *Ending Conversion Therapy*, *supra*, at 26; Jack Drescher, *Controversies in Gender Diagnoses*, 1 LGBT Health 9, 12 (2013).

³³ Am. Psychoanalytic Ass’n, *Position Statement on Attempts to Change Sexual Orientation, Gender Identity, or Gender Expression* (2012), <http://www.apsa.org/content/2012-position-statement-attempts-change-sexualorientation-gender-identity-or-gender>.

³⁴ Darryl B. Hill et al., *An Affirmative Intervention for Families with Gender Variant Children: Parental Ratings of Child Mental Health and Gender*, 36 J. Sex & Marital Therapy 6, 10 (2010); Robert Wallace & Hershel Russell, *Attachment and Shame in Gender-Nonconforming Children and Their Families: Toward a Theoretical Framework for Evaluating Clinical Interventions*, 14 Int’l J. Transgenderism 113, 119-20 (2013).

³⁵ Am. Psychol. Ass’n Guidelines, *supra*, at 835; WPATH Standards of Care, *supra*, at 8-9.

³⁶ Earlier versions of the DSM used different terminology, e.g., gender identity disorder, to refer to this condition. Am. Psychol. Ass’n Guidelines, *supra*, at 861.

³⁷ Am. Med. Ass’n, Comm. on Human Sexuality, *Human Sexuality* 38 (1972).

Gender Nonconforming People (Version 7) developed by the World Professional Association for Transgender Health (“WPATH”).³⁸ Many of the major medical and mental health groups in the United States recognize the WPATH Standards of Care as representing the consensus of the medical and mental health community regarding the appropriate treatment for gender dysphoria.³⁹

The recommended treatment for transgender people with gender dysphoria includes assessment, counseling, and, as appropriate, social transition, puberty-blocking drug treatment, hormone therapy, and surgical interventions to bring the body into alignment with one’s gender identity.⁴⁰ However, each patient requires an

³⁸ WPATH Standards of Care, *supra*.

³⁹ Am. Med. Ass’n House of Delegates, Resolution 122 (A-08), *Removing Financial Barriers to Care for Transgender Patients* 1 (2008); Am. Psychol. Ass’n Task Force Report, *supra*, at 32; AAP Technical Report, *supra*, at 307-08.

⁴⁰ Am. Psychol. Ass’n Task Force Report, *supra*, at 32-39; Am. Psychol. Ass’n & Nat’l Ass’n of Sch. Psychologists, *Resolution on Gender and Sexual Orientation Diversity in Children and Adolescents in Schools* (2015), <http://www.apa.org/about/policy/orientation-diversity.aspx> [hereinafter “APA/NASP Resolution”]; Am. Psychiatric Ass’n Workgroup on Treatment of Gender Dysphoria, *Assessment and Treatment of Gender Dysphoria and Gender Variant Patients: A Primer for Psychiatrists* 16-18 (2016); AAP Technical Report, *supra*, at 307-09. Some clinicians still offer versions of “reparative” or “conversion” therapy based on the idea that being transgender is a mental disorder. However, all of the leading medical professional organizations have explicitly rejected such treatments. *See* Am. Med. Ass’n, Policy Number H-160.991, *Health Care Needs of Lesbian, Gay, Bisexual, and Transgender Populations* (rev. 2016), [https://searchpf.ama-assn.org/SearchML/searchDetails.action?uri=%2FAMA Doc%2FHOD.xml-0-805.xml](https://searchpf.ama-assn.org/SearchML/searchDetails.action?uri=%2FAMA%20Doc%2FHOD.xml-0-805.xml); Am. Sch. Counselor Ass’n, *The School Counselor and LGBTQ Youth* (2016), <https://www.schoolcounselor.org/asca/media/asca/>

individualized treatment plan that accounts for the patient's specific needs.⁴¹

Social transition—*i.e.*, living one's life fully in accordance with one's gender identity—is often a critically important part of treatment. This typically includes publicly identifying oneself as that gender; adopting a new name; using different pronouns; grooming and dressing in a manner typically associated with one's gender identity; and using restrooms and other single-sex facilities consistent with that identity.⁴² Transgender children who live in accordance with their gender identity in all aspects of life have lower rates of depression compared to transgender children who have not socially transitioned.⁴³

For some adults and adolescents, hormone treatment to feminize or masculinize the body may be medically necessary to treat their gender dysphoria.⁴⁴

PositionStatements/PS_LGBTQ.pdf; Hillary Daniel et al., *Lesbian, Gay, Bisexual, and Transgender Health Disparities: Executive Summary of a Policy Position Paper from the American College of Physicians*, 163 *Annals Internal Med.* 135, 136 (2015); AAP Technical Report, *supra*, at 301; Am. Psychoanalytic Ass'n, *Position Statement on Attempts to Change Sexual Orientation, Gender Identity, or Gender Expression*, *supra*.

⁴¹ Am. Psychol. Ass'n Task Force Report, *supra*, at 32.

⁴² AAP Technical Report, *supra*, at 308; Am. Psychol. Ass'n Guidelines, *supra*, at 840.

⁴³ Lily Durwood et al., *Mental Health and Self-Worth in Socially Transitioned Transgender Youth*, 56 *J. Am. Acad. Child & Adolescent Psychiatry* 116 (2017); Kristina R. Olson et al., *Mental Health of Transgender Children Who Are Supported in Their Identities*, 137 *Pediatrics* 1 (2016).

⁴⁴ Am. Med. Ass'n House of Delegates, Resolution 122 (A-08), *Removing Financial Barriers to Care for Transgender Patients*, *supra*, at 1; Am. Psychol. Ass'n

Both the Endocrine Society and the Lawson Wilkins Pediatric Endocrine Society consider these treatments to be the standard of care for gender dysphoria.⁴⁵ A transgender boy undergoing hormone treatment, for example, will be exposed to the same levels of testosterone as other boys who go through male puberty; and just as they would in any other boy, these hormones will affect most of his major body systems.⁴⁶ Hormone treatment alters the appearance of the patient's genitals and produces secondary sex characteristics such as increased muscle mass, increased facial hair, and a deepening of the voice in transgender boys and men, and breast growth and decreased muscle mass in transgender girls and women.⁴⁷ For children experiencing the onset of puberty, treatment may include medication to prevent further progression of puberty ("puberty blockers").⁴⁸ This fully reversible treatment allows children with gender dysphoria to delay the development of

Guidelines, *supra*, at 861, 862; Madeline B. Deutsch, Center of Excellence for Transgender Health, University of California, San Francisco, *Guidelines for the Primary and Gender-Affirming Care of Transgender and Gender Nonbinary People* 23 (2d ed. 2016); WPATH Standards of Care, *supra*, at 33, 54.

⁴⁵ See Wylie C. Hembree et al., *Endocrine Treatment of Transsexual Persons: An Endocrine Society Clinical Practice Guideline*, 94 J. Clinical Endocrinology & Metabolism 3132, 3132 (2009); see also Alessandra D. Fisher et al., *Cross-Sex Hormone Treatment and Psychobiological Changes in Transsexual Persons: Two-Year Follow-Up Data*, 101 J. Clinical Endocrinology & Metabolism 4260 (2016).

⁴⁶ Hembree et al., *Endocrine Treatment of Transsexual Persons*, *supra*, at 3132-33; see also Brill & Pepper, *The Transgender Child*, *supra*, at 217.

⁴⁷ Hembree et al., *Endocrine Treatment of Transsexual Persons*, *supra*, at 3140-45.

⁴⁸ *Id.* at 3138.

secondary sex characteristics that do not match their gender identity, giving them additional time to decide whether hormone treatment to feminize or masculinize the body is appropriate.⁴⁹

Surgical interventions may also be an appropriate and medically necessary treatment for some patients. These procedures could include chest reconstruction surgery for transgender men, breast augmentation (*i.e.* implants) for transgender women, or genital surgery.⁵⁰ Studies show these procedures are effective in reducing gender dysphoria and improving mental health.⁵¹ Because these surgical procedures are largely irreversible, some are recommended only for transgender individuals who have reached the age of legal majority.⁵²

Ultimately—regardless of the particular treatments required for a specific individual and when such treatment begins—the goal is for individuals with gender dysphoria to experience “identity integration,” where “being transgender is no

⁴⁹ *Id.* at 3133, 3140-41; Am. Psychol. Ass’n Guidelines, *supra*, at 842; WPATH Standards of Care, *supra*, at 18-20.

⁵⁰ Hembree et al., *Endocrine Treatment of Transsexual Persons*, *supra*, at 3148-49; *see also* WPATH Standards of Care, *supra*, at 57-58.

⁵¹ William Byne et al., *Report of the American Psychiatric Association Task Force on Treatment of Gender Identity Disorder*, 41 *Arch. Sexual Behav.* 759, 778-79 (2012); Annelou L.C. de Vries, *Young Adult Psychological Outcome After Puberty Suppression and Gender Reassignment*, 134 *Pediatrics* 696 (2014).

⁵² WPATH Standards of Care, *supra*, at 21.

longer the most important signifier of one's identity" and the individual can refocus on their relationships, school, jobs, and other life activities.⁵³

Some who oppose the medical protocols for gender dysphoria—including Dr. Quentin Van Meter⁵⁴—claim that most gender dysphoric children do not possess “rigid [genetic] blueprints,” that “persistent [gender dysphoria] is due predominantly to the impact of nonshared environmental influences,” and that “psychologic therapy designed to assist the patient, if at all possible, to align gender identity with natal sex” is the appropriate treatment.⁵⁵ In fact, however, studies indicate that children who actually are transgender—those who persistently, consistently, and insistently identify as a gender other than the sex assigned at birth (as distinguished from gender

⁵³ Walter Bockting & Eli Coleman, *Developmental Stages of the Transgender Coming-Out Process: Toward an Integrated Identity*, in *Principles of Transgender Medicine and Surgery* 137, 153 (Randi Ettner, Stan Monstrey & Eli Coleman eds., 2d ed. 2016).

⁵⁴ Dr. Van Meter is the current president of the American College of Pediatricians. The American College of Pediatricians “does not acknowledge the scientific and medical evidence regarding sexual orientation, sexual identity, sexual health, or effective health education.” Am. Acad. of Pediatrics, *Just the Facts About Sexual Orientation and Youth* (Apr. 13, 2010), <https://web.archive.org/web/20101119095249/http://aap.org/featured/sexualorientation.htm> (alerting school administrators to a campaign by the College, “which is in no way affiliated with the American Academy of Pediatrics,” and encouraging school officials, parents, and youth to “utilize the AAP developed and endorsed resources on this issue for reliable, sound, scientific, medical advice”).”

⁵⁵ Expert Report of Dr. Quentin Van Meter, M.D. at ¶¶ 27, 28, 32, ECF 192-7, *Grimm v. Gloucester Cty. Sch Bd.*, No. 4:15-cv-00054-AWA-RJK (E.D. Va.).

non-conforming children generally)—are unlikely to ever “align [their] gender identity with [their] natal sex.”⁵⁶ For these reasons, among others, nearly 600 academics and clinicians with expertise in gender development have challenged physicians who have taken a similar position as Dr. Van Meter.⁵⁷

⁵⁶ See, e.g., Am. Acad. of Pediatrics, *Gender Non-Conforming & Transgender Children*, *supra* (“Research suggest that children who are persistent, consistent, and insistent about their gender identity are the ones who are most likely to become transgender adults.”); Annelou L.C. de Vries et al., *Puberty Suppression in Adolescents with Gender Identity Disorder: A Prospective Follow-up Study*, 8 J. Sexual Med. 2276, 2281 (2011); Thomas D. Steensma et al., *Desisting and Persisting Gender Dysphoria after Childhood: A Qualitative Follow-up Study*, 16 Clinical Child Psychol. & Psychiatry 499, 504, 505 (2011); Madeleine S.C. Wallien & Peggy T. Cohen-Kettenis, *Psychosexual Outcome of Gender-Dysphoric Children*, 47 J. Am. Acad. Child & Adolescent Psychiatry 1413, 1420-21 (2008). The research relied on by opponents of the standard protocols tracked broad groups of prepubertal children who were referred to clinics for gender expansive non-conforming behavior, and counted any child who did not return for follow-up treatment as someone who desisted, thereby running “a strong risk of inflating estimates of the number of youth” who desist. Am. Psychol. Ass’n Guidelines, *supra*, at 842; see also Thomas D. Steensma & Peggy Cohen-Kettenis, *More Than Two Development Pathways in Children with Gender Dysphoria?*, 54 J. Am. Acad. Child & Adolescent Psychiatry 147, 147 (2015); Am. Psychol. Ass’n Task Force Report, *supra*, at 48; Byne et al., *Report of the American Psychiatric Association Task Force on Treatment of Gender Identity Disorder*, *supra*, at 763 (“GID that persists into adolescence is more likely to persist into adulthood.”); Substance Abuse and Mental Health Servs. Admin., *Ending Conversion Therapy*, *supra*, at 3.

⁵⁷ Letter dated Mar. 22, 2017, https://medschool.vanderbilt.edu/lgbti/files/lgbti/publication_files/ExpertLGBTIConcensusLetter.pdf; see also Chris Beyrer, Robert W. Blum, & Tonia C. Poteat, Opinion, *Hopkins Faculty Disavow ‘Troubling’ Report on Gender and Sexuality*, Balt. Sun, Sept. 28, 2016, <http://www.baltimoresun.com/news/opinion/oped/bs-edlgbtq-hopkins-20160928-story.html>.

Thus, while there are those like Van Meter who oppose the medical consensus regarding gender dysphoria—as there are outliers in every area of medicine—the protocols discussed above are well-established in the fields of medicine and psychology.

II. Excluding Transgender Individuals From Facilities Consistent With Their Gender Identity Endangers Their Health, Safety, And Well-Being.

Transgender students should have access to the sex-segregated facilities, activities, and programs that are *consistent* with their gender identity—including but not limited to bathrooms, locker rooms, sports teams, and classroom activities.⁵⁸ Evidence confirms that policies excluding transgender individuals from facilities consistent with their gender identity (hereinafter, “exclusionary policies”) have detrimental effects on the physical and mental health, safety, and well-being of transgender individuals. And while schools like Gloucester High School often provide private restrooms for any student who seeks greater privacy for any reason, forcing transgender students to use those separate facilities sends a stigmatizing message that can have a lasting and damaging impact on the health and well-being of the young person. Indeed, *amicus curiae* the American Medical Association, whose mission statement requires it to support public health, recently confirmed its

⁵⁸ APA/NASP Resolution, *supra*, at 9.

support for transgender individuals' accessing public restrooms according to their gender identities.⁵⁹

In contrast, there is no evidence of any harm to the physical or mental health of other children and adolescents when transgender students use facilities that match their gender identity. *Amici* are not hearing from their members about students experiencing any such harm—even though numerous states and school districts have policies allowing transgender individuals to use restrooms that match their gender identity.

A. Exclusionary Policies Exacerbate Gender Dysphoria And Are Contrary To Widely Accepted, Evidence-Based Treatment Protocols.

For transgender individuals, being treated differently from other men and women can cause tremendous pain and harm.⁶⁰ Indeed, exclusionary policies that force transgender people to disregard or deny their gender identity every time they must use a restroom disrupt medically appropriate treatment protocols. While those protocols provide that transgender individuals should live all aspects of their life in the gender with which they identify, *see supra* at 11-19, exclusionary policies require transgender individuals to live one facet of their lives in contradiction with their

⁵⁹ AMA Policy H-65.964, *Access to Human Services for Transgender Individuals* (2017).

⁶⁰ *See, e.g.,* Sam Winter et al., *Transgender People: Health at the Margins of Society*, 388 *Lancet* 390, 394 (2016).

gender identity. As a result, exclusionary policies threaten to exacerbate the risk of “anxiety and depression, low self-esteem, engaging in self-injurious behaviors, suicide, substance use, homelessness, and eating disorders among other adverse outcomes” that many transgender individuals face.⁶¹ Those risks are already all too serious: in a comprehensive survey of over 27,000 transgender individuals, 40 percent reported a suicide attempt—a rate nine times that reported by the general U.S. population.⁶²

B. Exclusionary Policies Expose Transgender Individuals To Harassment And Abuse.

Exclusionary policies expose transgender individuals to harassment and abuse by forcing them to occupy gender-segregated spaces where their presence may be met with hostility, harassment, and abuse. For example, transgender men are visually recognized as men by other individuals; the presence of a transgender man in a women’s restroom would be just as alarming as the presence of a cisgender man in the same women’s restroom.

Exclusionary policies thus force transgender individuals to disclose their transgender status, because it is only transgender individuals who must use facilities that are incongruent with their gender identity and how they live and are recognized

⁶¹ APA/NASP Resolution, *supra*, at 4.

⁶² James et al., Nat’l Center for Transgender Equality, *Report of the 2015 U.S. Transgender Survey*, *supra*, at 114.

in the world. Because some children will have transitioned before they arrive in a particular school, exclusionary policies may be the only way that they are forcibly “outed” to their peers as transgender.

Such compelled disclosure of one’s transgender status is harmful for at least two reasons. First, control over the circumstances in which a person may choose to disclose being transgender is fundamental to the development of individuality and autonomy.⁶³ Exclusionary policies rob transgender individuals of the personal choice regarding whether and when to reveal their transgender status. Disclosure of one’s status as transgender is often anxiety-inducing and fraught; it is critical to a person’s sense of safety, privacy, and dignity to have control over when and how that information is shared.

Second, such compelled disclosure exposes transgender individuals to the risk of harassment or abuse. In a 2013 survey, 68 percent of transgender respondents reported experiencing at least one instance of verbal harassment, and 9 percent

⁶³ Am. Acad. of Pediatrics, *American Academy of Pediatrics Opposes Legislation that Discriminates Against Transgender Children* (Apr. 18, 2016), <https://www.aap.org/en-us/about-the-aap/aap-pressroom/Pages/AAPOpposesLegislationAgainstTransgenderChildren.aspx>.

reported suffering at least one instance of physical assault in gender-segregated bathrooms.⁶⁴

These harms affect youth and adults alike. “[M]any gender and sexual orientation diverse children and adolescents experience harassment, bullying, and physical violence in school environments.”⁶⁵ Because unwanted disclosure may cause such significant harm, the American Academy of Pediatrics’ guidance states that care should be confidential, and it is not the role of the pediatrician to inform parents/guardians about a patient’s sexual identity or behavior as doing so could expose the patient to harm.⁶⁶ Indeed, the American Academy of Pediatrics announced its opposition to exclusionary policies by noting that they undermine children’s ability “to feel safe where they live and where they learn.”⁶⁷

C. Exclusionary Policies Exacerbate Stigma And Discrimination, Leading To Negative Health Outcomes.

It is well documented that transgender individuals experience widespread prejudice and discrimination, and that this discrimination frequently takes the form

⁶⁴ Jody L. Herman, *Gendered Restrooms and Minority Stress: The Public Regulation of Gender and its Impact on Transgender People’s Lives*, 19 J. Pub. Mgmt. & Soc. Pol’y 65, 73 (2013).

⁶⁵ APA/NASP Resolution, *supra*, at 5; see Joseph G. Kosciw et al., GLSEN, *The 2015 National School Climate Survey: The Experiences of Lesbian, Gay, Bisexual, Transgender, and Queer Youth In Our Nation’s Schools* 12 (2016).

⁶⁶ AAP Technical Report, *supra*, at 305.

⁶⁷ Am. Acad. of Pediatrics, *American Academy of Pediatrics Opposes Legislation that Discriminates Against Transgender Children*, *supra*.

of violence, harassment, or other abuse.⁶⁸ For example, in a Virginia survey of transgender individuals, 50 percent of participants reported that they had experienced discrimination in healthcare, employment, or housing, and many individuals had experienced discrimination in more than one area.⁶⁹

Exclusionary policies perpetuate such stigma and discrimination, both by forcing transgender individuals to disclose their status, and by marking transgender individuals as “others” who are unfit to use the restrooms used by everyone else. Such policies inherently convey the state’s judgment that transgender individuals are different and deserve inferior treatment.

Research increasingly shows that stigma and discrimination can have deleterious health consequences,⁷⁰ including striking effects on the daily functioning and emotional and physical health of transgender persons.⁷¹ A 2012 study of

⁶⁸ Jamie M. Grant et al., Nat’l Center for Transgender Equality, *Injustice at Every Turn: A Report of the National Transgender Discrimination Survey 2-8* (2011), http://www.thetaskforce.org/static_html/downloads/reports/reports/ntds_full.pdf.

⁶⁹ Judith Bradford et al., *Experiences of Transgender-Related Discrimination and Implications for Health: Results from the Virginia Transgender Health Initiative Study*, 103 Am. J. Pub. Health 1820, 1825 (2013).

⁷⁰ See generally Am. Psychol. Ass’n, *Stress in America: The Impact of Discrimination* (2016), <https://www.apa.org/news/press/releases/stress/2015/impact-of-discrimination.pdf>.

⁷¹ See, e.g., Am. Psychoanalytic Ass’n, *Position Statement on Attempts to Change Sexual Orientation, Gender Identity, or Gender Expression*, *supra* (“bias against individuals based on actual or perceived sexual orientation, gender identity or gender expression negatively affects mental health”).

transgender adults found a rate of hypertension twice that in the general population, which it attributed to the known effects of emotions on cardiovascular health.⁷² Another study concluded that “living in states with discriminatory policies . . . was associated with a statistically significant increase in the number of psychiatric disorder diagnoses.”⁷³ And a third study demonstrated that past school victimization may result in greater risk for post-traumatic stress disorder, depression, anxiety, and suicidality.⁷⁴ As the American Psychological Association has concluded, “the notable burden of stigma and discrimination affects minority persons’ health and well-being and generates health disparities.”⁷⁵ There is thus every reason to anticipate that exclusionary policies will negatively affect the health of transgender individuals.

⁷² Randi Ettner et al., *Secrecy and the Pathophysiology of Hypertension*, Int’l J. Family Med. (2012).

⁷³ Judith Bradford et al., *Experiences of Transgender-Related Discrimination and Implications for Health: Results from the Virginia Transgender Health Initiative Study*, 103 Am. J. Pub. Health 1820, 1825 (2013)

⁷⁴ Russell B. Toomey et al., *Gender-Nonconforming Lesbian, Gay, Bisexual, and Transgender Youth: School Victimization and Young Adult Psychosocial Adjustment*, 46 Developmental Psychology 1580, 1581 (2010).

⁷⁵ APA/NASP Resolution, *supra*, at 3-4; *see also* Institute of Medicine Committee on LGBT Issues and Research Gaps and Opportunities, *The Health of Lesbian, Gay, Bisexual, and Transgender People: Building a Foundation for Better Understanding* 3 (2011) (noting that “prejudice, discrimination, and violence” underlie the “health disparities” between transgender and cisgender populations).

D. Exclusionary Policies Lead To Avoidance Of Restroom Use, Harming Physical Health.

Exclusionary policies have more immediate health effects as well. Though most of us take it for granted, all individuals require regular access to a restroom. Exclusionary policies that preclude transgender individuals from using restrooms consistent with their gender identity put transgender individuals to a difficult choice: (1) violate the policy and face potential disciplinary consequences; (2) use the restroom inconsistent with their gender identity or “special” single-user restrooms, which undermines their health care needs and risks discrimination or harassment; or (3) attempt not to use the restroom at all.

This difficult choice produces heightened anxiety and distress around restroom use, which may make it difficult for transgender individuals to concentrate or focus at school or work and potentially cause them to eschew social activities or everyday tasks.⁷⁶ At least one study of transgender college students associated being denied access to restrooms consistent with one’s gender identity to an increase in suicidality.⁷⁷

⁷⁶ Herman, *Gendered Restrooms and Minority Stress*, *supra*, at 75.

⁷⁷ Kristie L. Seelman, *Transgender Adults’ Access to College Bathrooms and Housing and the Relationship to Suicidality*, 63 *J. Homosexuality* 1378, 1388-89 (2016).

Studies also show that it is common for transgender students to avoid using restrooms.⁷⁸ But that avoidance can have medical consequences, including recurrent urinary tract infections and constipation, as well as the possibility of more serious health complications, including hematuria (blood in the urine), chronic kidney disease or insufficiency, urolithiasis (stones in the kidney, bladder, or urethra), infertility, and cancer.⁷⁹

Some transgender students experiencing fear and anxiety about restroom usage may attempt to dehydrate themselves so that they will need to urinate less frequently.⁸⁰ Chronic dehydration has been linked to a variety of conditions, including urinary tract infections, kidney stones, blood clots, kidney disease, heart disease, and colon and bladder cancer.⁸¹

⁷⁸ Am. Psychol. Ass'n Guidelines, *supra*, at 840.

⁷⁹ See, e.g., Herman, *Gendered Restrooms and Minority Stress*, *supra* at 75 (surveying of transgender and gender non-conforming people in Washington D.C., and finding that 54% of respondents reported a “physical problem from trying to avoid using public bathrooms” including dehydration, urinary tract infections, kidney infection, and other kidney-related problems); James et al., Nat'l Center for Transgender Equality, *Report of the 2015 U.S. Transgender Survey*, *supra*, at 246; Anas I. Ghousheh et al., *Advanced Transitional Cell Carcinoma of the Bladder in a 16-Year-Old Girl with Hinman Syndrome*, 80 *Urology* 1141 (2012).

⁸⁰ Herman, *Gendered Restrooms and Minority Stress*, *supra*, at 75.

⁸¹ Lawrence E. Armstrong, *Challenges of Linking Chronic Dehydration and Fluid Consumption to Health Outcomes*, 70 *Nutrition Rev.* S121, 122 (2012).

These negative outcomes are not alleviated by forcing students into separate single-user restrooms. Being required to use separate facilities may force disclosure of one's transgender status and cause anxiety and fear related to being singled out and separated from peers. Additionally, single-user facilities are generally less available and more inconvenient, causing people to further avoid restroom use or disrupt their schedules to go to the restroom. Separate restrooms thus do not alleviate the anxiety, fear, or negative health consequences that result from exclusionary bathroom policies.

E. Exclusionary Policies Harm Adolescent Social And Emotional Development—With Lifelong Effects.

Finally, exclusionary policies have a particularly deleterious effect on the social and emotional development of children and adolescents. Discrimination and harassment of children and adolescents in their formative years may have effects that linger long *after* they leave the school environment. Unsurprisingly, unwelcoming school environments produce particularly poor educational outcomes for transgender individuals.⁸² Poorer educational outcomes, standing alone, may lead

⁸² See APA/NASP Resolution, *supra*, at 6; Emily A. Greytak et al., GLSEN, *Harsh Realities: The Experiences of Transgender Youth in Our Nation's Schools* (2009).

to lower lifetime earnings and an increased likelihood of poorer health outcomes later in life.⁸³

Moreover, and as already discussed, exclusionary policies may produce and compound the stigma and discrimination that transgender children and adolescents face in the school environment. That stigma and discrimination, in turn, is associated with an increased risk of post-traumatic stress disorder, depression, anxiety, and suicidality in subsequent years.⁸⁴

Conversely, evidence demonstrates that a safe and welcoming school environment may promote positive social and emotional development and health outcomes. Numerous studies show that safer school environments lead to *reduced* rates of depression, suicidality, or other negative health outcomes.⁸⁵

* * *

⁸³ See, e.g., Emily B. Zimmerman et al., U.S. Dep't of Health and Human Servs. Agency for Healthcare Research & Quality, *Understanding the Relationship Between Education and Health: A Review of the Evidence and an Examination of Community Perspectives* (2015), <https://www.ahrq.gov/professionals/education/curriculum-tools/population-health/zimmerman.html>.

⁸⁴ Toomey et al., *Gender-Nonconforming Lesbian, Gay, Bisexual, and Transgender Youth*, *supra*, at 1581; see also APA/NASP Resolution, *supra*, at 6.

⁸⁵ AAP Technical Report, *supra*, at 301, 302, 304-05; see, e.g., Marla E. Eisenberg et al., *Suicidality Among Gay, Lesbian and Bisexual Youth: The Role of Protective Factors*, 39 J. Adolescent Health 662 (2006); Stephen T. Russell et al., *Youth Empowerment and High School Gay-Straight Alliances*, 38 J. Youth Adolescence 891 (2009).

With appropriate support—including safe and supportive schools—transgender youth can become happy and productive adults who contribute much to our society. By making schools into places of stress and conflict rather than welcoming spaces, exclusionary policies worsen stigma and discrimination against transgender students, causing myriad harms to their health, safety, and overall well-being.

CONCLUSION

For the foregoing reasons, amici respectfully urge this Court to affirm the judgment below.

Dated: November 25, 2019

Respectfully submitted,

JENNER & BLOCK LLP

/s/ Devi M. Rao

Devi M. Rao

Counsel of Record

1099 New York Ave. NW

Suite 900

Washington, DC 20001

(202) 639-6000

drao@jenner.com

Ethan C. Wong

JENNER & BLOCK LLP

919 3rd Ave.

New York, NY, 10022

Counsel for Amici Curiae

Aaron M. Panner
KELLOGG, HANSEN, TODD,
FIGEL & FREDERICK, PLLC
1615 M St. NW Suite 400
Washington, DC 20036
(202) 326-7900
apanner@kellogghansen.com

*Counsel for Amicus Curiae
American Psychiatric Association*

CERTIFICATE OF COMPLIANCE WITH TYPE-VOLUME LIMIT

This brief complies with the type-volume limits because, excluding the parts of the brief exempted by Fed. R. App. P. 32(f) (cover page, disclosure statement, table of contents, table of citations, statement regarding oral argument, signature block, certificates of counsel, addendum, attachments), this brief contains 5638 words, based on the “Word Count” feature of Microsoft Word 2016.

This brief complies with the typeface and type style requirements because this brief has been prepared in a proportionally-spaced typeface using Microsoft Office Word in 14-point Times New Roman.

Dated: November 25, 2019

/s/ Devi M. Rao

Devi M. Rao
JENNER & BLOCK LLP
1099 New York Ave. NW
Suite 900
Washington, DC 20001
(202) 639-6000
drao@jenner.com

Counsel for Amicus Curiae

CERTIFICATE OF SERVICE

I hereby certify that on November 25, 2019, I electronically filed the foregoing amici curiae brief with the Clerk of the Court for the United States Court of Appeals for the Fourth Circuit by using the CM/ECF system. I certify that all participants in the case are registered CM/ECF users and that service will be accomplished by the CM/ECF system.

Dated: November 25, 2019

/s/ Devi M. Rao

Devi M. Rao
JENNER & BLOCK LLP
1099 New York Ave. NW
Suite 900
Washington, DC 20001
(202) 639-6000
drao@jenner.com

Counsel for Amicus Curiae

UNITED STATES COURT OF APPEALS FOR THE FOURTH CIRCUIT
APPEARANCE OF COUNSEL FORM

BAR ADMISSION & ECF REGISTRATION: If you have not been admitted to practice before the Fourth Circuit, you must complete and return an Application for Admission before filing this form. If you were admitted to practice under a different name than you are now using, you must include your former name when completing this form so that we can locate you on the attorney roll. Electronic filing by counsel is required in all Fourth Circuit cases. If you have not registered as a Fourth Circuit ECF Filer, please complete the required steps at Register for eFiling.

THE CLERK WILL ENTER MY APPEARANCE IN APPEAL NO. 19-1952 as

- Retained Court-appointed(CJA) CJA associate Court-assigned(non-CJA) Federal Defender
Pro Bono Government

COUNSEL FOR: Medical, Public Health, and Mental Health Organizations

as the

- appellant(s) appellee(s) petitioner(s) respondent(s) amicus curiae intervenor(s) movant(s)

/s/Devi M. Rao
(signature)

Please compare your information below with your information on PACER. Any updates or changes must be made through PACER's Manage My Account.

Devi M. Rao
Name (printed or typed)

202-639-6000
Voice Phone

Jenner & Block LLP
Firm Name (if applicable)

202-639-6066
Fax Number

1099 New York Ave., NW, Suite 900

Washington, DC 20001
Address

DRao@jenner.com
E-mail address (print or type)

CERTIFICATE OF SERVICE

I certify that on 11/25/2019 the foregoing document was served on all parties or their counsel of record through the CM/ECF system if they are registered users or, if they are not, by serving a true and correct copy at the addresses listed below:

Empty box for address

Empty box for address

/s/Devi M. Rao
Signature

11/25/2019
Date